

0400

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 10/040,036

Filing Date: January 3, 2002

Applicant: Dutta et al.

Entitled: POTENTIOMETRIC NO<sub>x</sub> SENSORS BASED ON YTTRIA-STABILIZED ZIRCONIA WITH ZEOLITE MODIFIED ELECTRODE2/IDS  
E. Hillis  
5-17-02Commissioner for Patents  
Washington, D.C. 20231

## CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8 (A)

Date of Deposit: February 4, 2002

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as first-class mail in an envelope addressed to Commissioner for Patents, Washington, D.C. 20231.

  
Sheri L. Burke

Sir:

**INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR §§ 1.97-1.98**

As authorized and encouraged under 37 CFR §§ 1.97-1.98 and the provisions of MPEP §§ 609 and 707.05 (b), Applicant(s) submits herewith certain patent references, publications and/or other information which the Patent and Trademark Office may wish to consider in examining the above-identified patent application. The references and information are listed below and on attached form PTO-1449.

  
**U.S. PATENTS**

U.S. PATENT NUMBER	INVENTOR(S)
5,705,129	Takahashi et al.
6,062,064	Yoshida et al.

**FOREIGN PATENT DOCUMENTS**

COUNTRY	PATENT NO.	INVENTOR(S)
---------	------------	-------------

### OTHER DOCUMENTS

1. N. Miura, G. Lu and N. Yamazoe, *High-temperature potentiometric/amperometric NO<sub>x</sub> sensors combining stabilized zirconia with mixed-metal oxide electrode*, *Sensors and Actuators B*, 52 (1998) 169- 178.
2. N. Miura, H. Kurosawa, M. Hasei, G. Lu and N. Yamazoe, *Stabilized zirconia-based sensor using oxide electrode for detection of NO<sub>x</sub> in high-temperature combustion-exhausts*, *Solid State Ionics*, 86-88 (1996) 1069-1073.
3. N. Miura, G. Lu, N. Yamazoe, H. Kurosawa and M. Hasei, *Mixed Potential Type NO<sub>x</sub> Sensor Based on Stabilized Zirconia and Oxide Electrode*, *J. Electrochem. Soc.* 143 (2) (1996) L33 – L35.
4. G. Lu, N. Miura and N. Yamazoe, *Stabilized zirconia-based sensors using WO<sub>3</sub> electrode for detection of NO or NO<sub>2</sub>*, *Sensors and Actuators B*, 65 (2000) 125 – 127.
5. H. Kurosawa, Y. Yan, N. Miura and N. Yamazoe, *Stabilized zirconia-based NO<sub>x</sub> sensor operative at high temperature*, *Solid State Ionics*, 79 (1995) 338-343.
6. E.L. Brosha, R. Mukundan, D.R. Brown, F.H. Garzon, J.H. Visser, M. Zanini, Z. Zhou and E.M. Logothetis, *CO/HC sensors based on thin films of LaCoO<sub>3</sub> and La<sub>0.8</sub>Sr<sub>0.2</sub>CoO<sub>3-δ</sub> metal oxides*, *Sensors and Actuators B*, 69 (2000) 171-182.
7. R. Mukundan, E.L. Brosha, D.R. Brown and F.H. Garzon, *Ceria-Electrolyte-Based Mixed Potential Sensors for the Detection of Hydrocarbons and Carbon Monoxide*, *Electrochemical and Solid State Letters*, 2(8) (1999) 412-414.
8. R. Mukundan, E.L. Brosha, D.R. Brown and F.H. Garzon, *A Mixed-Potential Sensor Based on a Ce<sub>0.8</sub>Gd<sub>0.2</sub>O<sub>1.9</sub> Electrolyte and Platinum and Gold Electrodes*, *J. Electrochem. Soc.* 147 (4) (2000) 1583-1588.
9. T. Hibino, S. Kakimoto and M. Sano, *Non-Nernstian Behavior at Modified Au Electrodes for Hydrocarbon Gas Sensing*, *J. Electrochem. Soc.* 146 (9) (1999) 3361-3366.
10. A. Walcarius, *Zeolite-Modified Electrodes in Electroanalytical Chemistry*, *Analytical Chimica Acta*, 384, pp. 1 – 16 (1999).
11. A. Walcarius, *Factors Affecting the Analytical Applications of Zeolite Modified Electrodes: Indirect Detection of Nonelectroactive Cations*, *Analytical Chimica Acta*, 388, pp. 79-91 (1999).

12. K. Fukui, S. Nishida, *CO Gas Sensor Based on Au-La<sub>2</sub>O<sub>3</sub> Added SnO<sub>2</sub> Ceramics with Siliceous Zeolite Coat*, *Sensors and Actuators B*, 45, pp. 101 – 106 (1997).
13. H. Tsuchiya, I. Sasaki, A. Harano, T. Okubo and M. Sadakata, *Zeolite Sensor for Nitrogen Monoxide Detection at High Temperature*, *Mat. Res. Soc. Symp. Proc.*, 454, pp. 297-302 (1997).
14. O. Enea, *Morphological and Electrocatalytic Properties of Gold Deposits on NaY Zeolite*, *Electrochim. Acta.*, pp. 1647-34 (1989).
15. M. Osada, I. Sasaki, M. Nishioka, M. Sadakata, T. Okubo, *Synthesis of a Faujasite Thin Layer and its Application for SO<sub>2</sub> Sensing at Elevated Temperatures*, *Microporous and Mesoporous Materials*, 23, pp. 287 – 294 (1998).
16. B. Liu, F. Yang, J. Kong, J. Deng, *A Reagentless Amperometric Biosensor Based on the Coimmobilization of Horseradish Peroxidase and Methylene Green in a Modified Zeolite Matrix*, *Analytica Chimica Acta*, 386, pp. 31- 39 (1999).
17. U. Kunzellman, H. Bottche, *Biosensor Properties of Glucose Oxidase Immobilized Within SiO<sub>2</sub> Gels*, *Sensors and Actuators B*, 39, pp. 222 – 228 (1997).
18. U. Simon, U. Flesch, W. Maunz, R. Muller, C. Plog, *The effect of NH<sub>3</sub> on the Ionic Conductivity of Dehydrated Zeolites NaBeta and Hbeta*, *Microporous and Mesoporous Materials*, 21, pp. 111-116 (1998).
19. O.S. Wolfbeis, *Novel Oxygen Sensor Material Based on a Ruthenium Bipyridyl Complex Encapsulated in ZeoliteY: Dramatic Differences in the Efficiency of Luminescence Quenching by Oxygen on Going From Surface-Absorbed to Zeolite-Encapsulated Fluorophores*, *Sensors and Actuators B*, 29, pp. 240 – 245 (1995).
20. R. Berger, Ch. Gerber, H.P. Lang, J.K. Gimzewski, *Micromechanic: A Toolbox for Femtoscale Science: Towards a Laboratory on a Tip*, *Microelectronic Engineering*, 35, pp. 373-379 (1997).
21. L. Scandella, G. Binder, T. Mezzacasa, J. Gobrecht, R. Berger, H.P. Lang, Ch. Gerber, J.K. Gimzewski, J.H. Koegler, J.C. Jansen, *Combination of Single Crystal Zeolites and Microfabrication: Two Applications Toward Zeolite Nanodevices*, *Microporous and Mesoporous Materials*, 21, pp. 403 – 409 (1998).

A copy of each document is included for the express purpose of providing the Patent and Trademark Office with ample opportunity to evaluate the same and arrive at

an independent assessment of the materiality of each, if any, to the examination of the above-identified application.

In reviewing the enclosed copies of the above documents, the Examiner is instructed to ignore any underscoring or highlighting which may have been done because such markings may or may not have any relationship to the subject matter of the above-identified application. The copies being submitted with this Information Disclosure Statement are the best copies available at this time.


The identification of any document herein is not intended to be, and should not be understood as being, an admission that each such document, in fact, constitutes "prior art" within the meaning of applicable law.

Applicant(s) respectfully requests that the documents cited herein be made of record in the normal manner and that such documents appear on the printed patent as being considered and made of record.

Respectfully submitted,

Date: Feb. 4, 2002

By: \_\_\_\_\_

  
Roger A. Gilcrest  
Registration No.: 31,954  
Standley & Gilcrest LLP  
495 Metro Place South, Suite 210  
Dublin, Ohio 43017-5315  
Telephone: (614) 792-5555  
Facsimile: (614) 792-5536